

*"We go where others follow!"*



**ELEMENT**  
**ONE**  
die monitormanufaktur

## VERSIS



# VERSIS






доступен в различных размерах и способах установки:  
15" XGA, 17,3" FullHD, 21,5" FullHD  
установка сверху или снизу  
с или без полки под клавиатуру  
("Basic")  
различное положение монитора  
(".../75")




опции



		<p>"Что нового?"</p> <p>Разрешение FullHD Новый дизайн и материалы Новые компактные внешние размеры Опционально функция Multi-Touch Новый привод с точным шаговым двигателем и низким уровнем шума Новое место для вывода кабеля для упрощения монтажа Новая полка для клавиатуры обшита кожей - Вы легко можете установить свою клавиатуру. Рама теперь также выполнена из алюминия.</p>
105-150-43-bk	<p><b>VERSIS 150-4 black</b></p>	<p>Монитор с электронным механизмом перемещения для интеграции в мебель (дисплей складывается в столешницу экраном вверх, дисплей остается включенным, плавное перемещение управляется кнопками на лицевой панели или дистанционно).</p> <p>***Height of display unfolded: 231mm at 120 degree</p> <p>***Material: Display-aluminum-frame black anodized; 3mm glass pane, antireflection coated; support plate/cartouche in brushed high-grade steel.</p> <p>***LCD-TFT-Display: 15"; 16,7 Mio. colors; resolution 1024x768 optically; contrast typ. 800:1; brightness 300 cd/m2; viewing angle (hor./ver.) 140°/140° (150/145 at CR5)</p> <p>***Further equipment: Single-touch; electronically regulated clamping-protection; interface for media-control systems or remote control.</p> <p>***Interfaces: VGA or DVI-D</p> <p>***Dimensions, closed (WxDxH): 420 x 350 x 86mm</p> <p>***Weight: 10kg</p> <p>***Scope of supply: Power supply, power cord</p> <p>***Possible options (choice): From-below integration; touch-screen; custom colored Plexiglas inlay; customer requested powder or lacquer coating; additional customer logo; ... and much more!</p>
107-150-bk	<p><b>VERSIS 150-4/75</b> <i>new</i></p>	<p>Furniture integrateable display-system with electronically movement mechanism (display in closed condition facing up; stepless control via buttons directly at the device or via media-control-interface =&gt; Control button must be kept pressed resp. when using media control interface a permanent contact needs to be realized (dead man's control); electronically clamping protection is active!)</p> <p>***Material: Display-aluminum-frame black coated; antireflection coated glass; support plate/cartouche in brushed high-grade steel.</p> <p>***LCD-TFT-Display: 15"; 16,7 Mio. colors; resolution 1024x768 optically; contrast typ. 800:1; brightness 300 cd/m2; viewing angle (hor./ver.) 140°/140° (150/145 at CR5)</p> <p>***Further equipment: Deadmans control; electronically regulated clamping-protection; interface for media-control systems or remote control.</p> <p>***Dimensions, closed (WxDxH): 420 x 350 x 86mm</p> <p>Notice: Cable outlet at the front</p> <p>***Weight: 10kg</p> <p>***Scope of supply: Power Adapter</p> <p>***Possible options (choice): From-below integration; custom colored Plexiglas inlay; customer requested powder or lacquer coating; additional customer logo; ... and much more!</p>
104-173	<p><b>VERSIS 173 FullHD</b> <i>new</i></p>	<p>Furniture integrated display-system with electronic movement mechanism (display swings into furniture surface with image facing up, display stays on line; stepless movement can be controlled via buttons at the device or via media-control-interface).</p> <p>***Height of display unfolded: 290mm at 110°</p> <p>***Material: Display-aluminum-frame silvery anodized; black Plexiglas decorative inlay; 3mm glass pane, antireflection coated; support plate/cartouche in brushed high-grade steel.</p> <p>***LCD-TFT-Display: 17,3"; 16:9, resolution 1920x1080; 16,7 Mio. colors; contrast typ. 600:1; brightness 400 cd/m2; viewing angle (hor./ver.) 160°/140°</p> <p>DVI-D interface (VGA on request)</p> <p>***Further equipment: Electronically regulated clamping-protection; interface for media-control systems or remote control; fron-lift with black leather-look cover.</p> <p>***Dimensions, closed (WxDxH): 495x400x86mm</p> <p>***Weight: 12,6kg</p> <p>***Scope of supply: Power supply, power cord</p> <p>***Possible options (choice): MultiTouch display, custom colored Plexiglas inlay; real leather coating for front-lift, customer requested powder or lacquer coating; additional customer logo; ...and much more!</p>

104-173-b	<p><b>VERSIS 173 FullHD basic</b> <i>new</i></p> 	<p>Basic =&gt; Control button must be kept pressed resp. when using media control interface a permanent contact needs to be installed (dead man switch) *** Furniture integrated display-system with electronic movement mechanism (display retracts into furniture surface with image facing up, display stays on line; stepless movement can be controlled via buttons at the device or via media-control-interface). <b>No front tray included.</b> ***Height of display unfolded: 290mm at 110° ***Material: Display-aluminum-frame silvery anodized; black Plexiglas decorative inlay; 3mm glass pane, antireflection coated; support plate/cartouche in brushed high-grade steel. ***LCD-TFT-Display: <b>17,3"</b>; 16:9, resolution 1920x1080; 16,7 Mio. colors; contrast typ. 600:1; brightness 400 cd/m2; viewing angle (hor./ver.) 160°/140° DVI-D interface (VGA on request) ***Further equipment: Electronically regulated clamping-protection; interface for media-control systems or remote control; fron-lift with black leather-look cover. ***Dimensions, closed (WxDxH): 495x400x86mm ***Weight: 12,6kg ***Scope of supply: Power supply, power cord ***Possible options (choice): MultiTouch display, custom colored Plexiglas inlay; real leather coating for front-lift, customer requested powder or lacquer coating; additional customer logo; ...and much more!</p>
107-173	<p><b>VERSIS 173 FullHD /75</b> <i>new</i></p> 	<p>Furniture integrateable display-system with electronically movement mechanism (display in closed condition facing up; stepless control via buttons directly at the device or via media-control-interface =&gt; Control button must be kept pressed resp. when using media control interface a permanent contact needs to be realized (dead man's control); electronically clamping protection is active!). ***Height of display unfolded: 300mm ***Material: Display-aluminum-frame silvery anodized; black Plexiglas decorative inlay; antireflection coated; support plate/cartouche in brushed high-grade steel. ***LCD-TFT-Display: <b>17,3"</b>; 16:9, resolution 1920x1080; 16,7 Mio. colors; contrast typ. 600:1; brightness 400 cd/m2; viewing angle (hor./ver.) 160°/140° DVI-D interface (VGA on request) ***Further equipment: Deadmans control; electronically regulated clamping-protection; interface for media-control systems or remote control. ***Dimensions, closed (WxDxH): 495x 400 x 86mm Notice: Cable outlet at the front ***Weight: 12kg ***Scope of supply: Power supply, power cord ***Possible options (choice): MultiTouch display, custom colored Plexiglas inlay; customer requested powder or lacquer coating; additional customer logo; ...and much more!</p>
103-220	<p><b>VERSIS 220 FullHD</b> <i>new</i></p> 	<p>Furniture integrated display-system with electronic movement mechanism (after sinking of keyboard display swings into furniture surface with image facing up, display stays on line; stepless movement can be controlled via buttons at the device or via media-control-interface). ***Height of display unfolded: n/a. ***Material: Display-aluminum-frame silvery anodized; black Plexiglas decorative inlay; 3mm glass pane, antireflection coated; support plate/cartouche in brushed high-grade steel. ***LCD-TFT-Display: <b>21.5"</b> TFT display with LED backlights - resolution: 1920x1080; luminance: 250 cd/m²; contrast: 1000:1; viewing angle: R/L 178(Typ.), U/D 178(Typ.); 16,7M colors; active screen size: 21.46 inches (545.22mm) diagonal DVI-D interface (VGA on request) ***Further equipment: Single-touch; electronically regulated clamping-protection; interface for media-control systems or remote control; keyboard lift with black leather-look cover. ***Dimensions, closed (WxDxH): 585x440x86mm ***Weight: 16kg ***Scope of supply: Power supply, power cord ***Possible options (choice): Custom colored Plexiglas inlay; real leather coating for keyboard lift, PC-mouse, keyboard, customer requested powder or lacquer coating; additional customer logo; ...and much more!</p>
103-220-b	<p><b>VERSIS 220 FullHD basic</b> <i>new</i></p> 	<p>Basic =&gt; Control button must be kept pressed resp. when using media control interface a permanent contact needs to be realized (dead man's control); *** Furniture integrated display-system with electronic movement mechanism (display retracts into furniture surface with image facing up, display stays on line; stepless movement can be controlled via buttons at the device or via media-control-interface). <b>no front tray included</b> ***Height of display unfolded: n/a. ***Material: Display-aluminum-frame silvery anodized; black Plexiglas decorative inlay; 3mm glass pane, antireflection coated; support plate/cartouche in brushed high-grade steel. ***LCD-TFT-Display: <b>21.5"</b> TFT display with LED backlights - resolution: 1920x1080; luminance: 250 cd/m²; contrast: 1000:1; viewing angle: R/L 178(Typ.), U/D 178(Typ.); 16,7M colors; active screen size: 21.46 inches (545.22mm) diagonal DVI-D interface (VGA on request) ***Further equipment: Single-touch; electronically regulated clamping-protection; interface for media-control systems or remote control; keyboard lift with black leather-look cover. ***Dimensions, closed (WxDxH): 585x440x86mm ***Weight: 16kg ***Scope of supply: Power supply, power cord ***Possible options (choice): Custom colored Plexiglas inlay; real leather coating for keyboard lift, PC-mouse, keyboard, customer requested powder or lacquer coating; additional customer logo; ...and much more!</p>
107-220	<p><b>VERSIS 220/75 FullHD</b> <i>new</i></p> 	<p>Furniture integrateable display-system with electronically movement mechanism (display in closed condition facing up; stepless control via buttons directly at the device or via media-control-interface =&gt; Control button must be kept pressed resp. when using media control interface a permanent contact needs to be realized (dead man's control); electronically clamping protection is active!). ***Height of display unfolded: approx. 360mm; 90° ***Material: Display-aluminum-frame silvery anodized; schwarz Plexiglas decorative inlay; 4mm glass pane, antireflection coated; support plate/cartouche in brushed high-grade steel. ***LCD-TFT-Display: <b>21.5"</b> TFT display with LED backlights - resolution: 1920x1080; luminance: 250 cd/m²; contrast: 1000:1; viewing angle: R/L 178(Typ.), U/D 178(Typ.); 16,7M colors; active screen size: 21.46 inches (545.22mm) diagonal ***Further equipment: Deadmans control; electronically regulated clamping-protection; interface for media-control systems or remote control. ***Dimensions, closed (WxDxH): 585 x 440 x 86mm Notice: Cable outlet at the front ***Weight: 15kg ***Scope of supply: Power Adapter ***Possible options (choice): MultiTouch display, custom colored Plexiglas inlay; customer requested powder or lacquer coating; additional customer logo; ...and much more!</p>
	<p><b>Vintage VERSIS</b></p>	<p>Previous VERSIS models may be reproduced in the known outside dimensions - where necessary with modified technical components</p>



# MODIS

## MODIS

доступен в различных размерах и способах установки: 15" XGA, 17,3" FullHD, 21,5" FullHD; установка сверху или снизу, с или без полки под клавиатуру ("Basic") может быть ламинирован различными материалами






OPTIONS:



"Что нового?"

Разрешение FullHD  
Новый дизайн и материалы  
Новые компактные внешние размеры  
Опционально функция Multi-Touch  
Новый привод с точным шаговым двигателем и низким уровнем шума  
Новое место для вывода кабеля для упрощения монтажа  
Новая полка для клавиатуры обшита кожей - Вы легко можете установить свою клавиатуру.  
Рама теперь также выполнена из алюминия.

305-150-43-bk	<b>MODIS 150-4 4:3 black</b>	Furniture integrateable display-system with electornical movement mechanism (notebook-like display movement - display in closed condition facing down; stepless control via buttons directly at the device or via media-control-interface). ***Material: Display-aluminum-frame black; 3mm glass pane, antireflection coated; support plate/cartouche in high-grade steel, black powder coated. ***LCD-TFT-Display: 15"; 16,7 Mio. colors; resolution 1024x768 optically; contrast typ. 800:1; brightness 300 cd/m <sup>2</sup> ; viewing angle (hor./ver.) 140°/140° (150°/145° at CR5) ***Further equipment: Single-touch; electronically regulated clamping-protection; interface for media-control systems or remote control. ***Interfaces: DVI-D (VGA optionally possible) ***Dimensions, closed (WxDxH): 420 x 350 x 86mm ***Weight: 10kg ***Scope of supply: Power supply, power cord ***Possible options (choice): From-below integration; customer requested powder or lacquer coating; additional customer logo; ... and much more!
304-173	<b>MODIS 173-4 FullHD</b> <b>NEW</b>	Furniture integrateable display-system with electornical movement mechanism (notebook-like display movement - display in closed condition facing down; stepless control via buttons directly at the device or via media-control-interface). ***Height of display unfolded: 300mm at 106° ***Material: Display-aluminum-frame silvery anodized; black Plexiglas decorative inlay; glass pane, antireflection coated; support plate/cartouche in brushed high-grade steel. ***LCD-TFT-Display: <b>17.3"</b> TFT display with LED backlights - resolution: 1920x1080; luminance: 400 cd/m <sup>2</sup> ; contrast: 600:1; viewing angle: R/L 160 (Typ.), U/D 140(Typ.); 16,7M colors ***Further equipment: Single-touch; electronically regulated clamping-protection; interface for media-control systems or remote control ***Dimensions, closed (WxDxH): 495 x 400 x 86mm ***Weight: 12,6kg ***Scope of supply: Power supply, power cord ***Possible options (choice): Custom colored Plexiglas inlay; real leather coating for keyboard lift, PC-mouse, keyboard, customer requested powder or lacquer coating; additional customer logo; ...and much more!
304-173-b	<b>MODIS 173-4 FullHD basic</b> <b>NEW</b>	Basic => Control button must be kept pressed resp. when using media control interface a permanent contact needs to be realized (dead man switch) *** Furniture integrateable display-system with electornical movement mechanism (notebook-like display movement - display in closed condition facing down; stepless control via buttons directly at the device or via media-control-interface). <b>No front-tray included</b> ***Height of display unfolded: 300mm at 106° ***Material: Display-aluminum-frame silvery anodized; black Plexiglas decorative inlay; glass pane, antireflection coated; support plate/cartouche in brushed high-grade steel. ***LCD-TFT-Display: <b>17.3"</b> TFT display with LED backlights - resolution: 1920x1080; luminance: 400 cd/m <sup>2</sup> ; contrast: 600:1; viewing angle: R/L 160 (Typ.), U/D 140(Typ.); 16,7M colors ***Further equipment: Single-touch; electronically regulated clamping-protection; interface for media-control systems or remote control ***Dimensions, closed (WxDxH): 495 x 400 x 86mm ***Weight: 12,6kg ***Scope of supply: Power supply, power cord ***Possible options (choice): Custom colored Plexiglas inlay; real leather coating for keyboard lift, PC-mouse, keyboard, customer requested powder or lacquer coating; additional customer logo; ...and much more!

305-220	<p><b>MODIS 220 FullHD</b></p> 	<p>Furniture integrateable display-system with electronical movement mechanism (notebook-like display movement - display in closed condition facing down; stepless control via buttons directly at the device or via media-control-interface)</p> <p>***Material: Display-aluminum-frame silvery anodized; black Plexiglas decorative inlay; 3mm glass pane, antireflection coated; support plate/cartouche in brushed high-grade steel.</p> <p>***LCD-TFT-Display: <b>21.5"</b> TFT display with LED backlights - resolution: 1920x1080; luminance: 250 cd/m²; contrast: 1000:1; viewing angle: R/L 178(Typ.), U/D 178(Typ.); 16,7M colors; active screen size: 21.46 inches (545.22mm) diagonal DVI-D interface (VGA on request)</p> <p>***Further equipment: Single-touch; electronically regulated clamping-protection; interface for media-control systems or remote control; keyboard lift with black leather-look cover.</p> <p>***Dimensions, closed (WxDxH): 585x440x86mm</p> <p>***Weight: 16kg</p> <p>***Scope of supply: Power supply, power cord</p> <p>***Possible options (choice): Custom colored Plexiglas inlay; real leather coating for keyboard lift, PC-mouse, keyboard, customer requested powder or lacquer coating; additional customer logo; ...and much more!</p>
305-220-b	<p><b>MODIS 220 FullHD basic</b></p> 	<p>Basic =&gt; Control button must be kept pressed resp. when using media control interface a permanent contact needs to be realized (dead man's control);</p> <p>*** Furniture integrateable display-system with electronical movement mechanism (notebook-like display movement - display in closed condition facing down; stepless control via buttons directly at the device or via media-control-interface). <b>no front tray included</b></p> <p>***Material: Display-aluminum-frame silvery anodized; black Plexiglas decorative inlay; 3mm glass pane, antireflection coated; support plate/cartouche in brushed high-grade steel.</p> <p>***LCD-TFT-Display: <b>21.5"</b> TFT display with LED backlights - resolution: 1920x1080; luminance: 250 cd/m²; contrast: 1000:1; viewing angle: R/L 178(Typ.), U/D 178(Typ.); 16,7M colors; active screen size: 21.46 inches (545.22mm) diagonal DVI-D interface (VGA on request)</p> <p>***Further equipment: Single-touch; electronically regulated clamping-protection; interface for media-control systems or remote control; keyboard lift with black leather-look cover.</p> <p>***Dimensions, closed (WxDxH): 585x440x86mm</p> <p>***Weight: 16kg</p> <p>***Scope of supply: Power supply, power cord</p> <p>***Possible options (choice): Custom colored Plexiglas inlay; real leather coating for keyboard lift, PC-mouse, keyboard, customer requested powder or lacquer coating; additional customer logo; ...and much more!</p>
305-220	<p><b>MODIS 220 FullHD double</b> <i>NEW</i></p> 	<p>Furniture integrateable display-system with electronical movement mechanism (notebook-like display movement; stepless control via buttons directly at the device or via media-control-interface). <b>TWO FULLHD DISPLAYS</b></p> <p>***Material: Display-aluminum-frame silvery anodized; black Plexiglas decorative inlay; glass pane, antireflection coated; support plate/cartouche in brushed high-grade steel.</p> <p>***LCD-TFT-Display: <b>21.5"</b> TFT display with LED backlights - resolution: 1920x1080; luminance: 250 cd/m²; contrast: 1000:1; viewing angle: R/L 178(Typ.), U/D 178(Typ.); 16,7M colors; active screen size: 21.46 inches (545.22mm) diagonal</p> <p>***Further equipment: Single-touch; electronically regulated clamping-protection; interface for media-control systems or remote control</p> <p>***Dimensions, closed (WxDxH): 585 x 440 x 86mm</p> <p>***Weight: 16,5kg</p> <p>***Scope of supply: Power supply, power cord</p> <p>***Possible options (choice): MultiTouch display, custom colored Plexiglas inlay; real leather coating for front-lift, customer requested powder or lacquer coating; additional customer logo; ...and much more!</p>
	<p><b>Vintage MODIS</b></p>	<p>Previous MODIS models may be reproduced in the known outside dimensions - where necessary with modified technical components</p>

ROTATIS



# ROTATIS



поворотный стол для MODIS и VERSIS

		<p>Что нового?"</p> <p>Новые размеры новое место для кабеля для упрощения монтажа</p>	
700-173-Z.330	<b>Drehteller - ROTATIS - 173</b>	<p>Circular mounting frame for VERSIS/MODIS 173-4 FullHD made of stainless steel (V2A brushed) provides 350° rotation in table top. Diameter: 700mm Weight: 10kg (excluding monitorsystem) The control buttons cease to exist; a wired remote control is added.</p> <p>Optionaly (on request): customer specific lacquer coating</p>	
700-220-Z.330	<b>Drehteller - ROTATIS - 220</b>	<p>Circular mounting frame for VERSIS/MODIS 220-4 FullHD made of stainless steel (V2A brushed) provides 350° rotation in table top. Diameter: 800mm Weight: 12kg (excluding monitorsystem) The control buttons cease to exist; a wired remote control is added.</p> <p>Optionaly (on request): customer specific lacquer coating</p>	





# CONVERS

## CONVERS

Доступен в различных размерах экрана и вариантах установки: 15" XGA, 17,3" FullHD, 21,5" FullHD сверху, сверху с отклоняющим механизмом "tilt" mechanism (опция) снизу (0°, 5°, 10°, 15° под углом без изменения стоимости)



опции:



"Что нового?"

Разрешение FullHD  
Новый дизайн и материалы  
Новые компактные внешние размеры  
Опционально функция Multi-Touch  
Новый привод с точным шаговым двигателем и низким уровнем шума  
Новое место для вывода кабеля для упрощения монтажа  
Рама теперь также выполнена из алюминия.

200-173-T	<b>CONVERS 173 FullHD tilt</b> <b>NEW</b>	Furniture integrated display-system with electronic movement mechanism (vertical movement of display and automatic tilt ~15°; control via buttons directly at the device or via media-control-interface). Separate motor for tilt of display with user friendly possibility for editing/storing of the desired angle! ***Height of completely lifted display: 325mm ***Material: Display-aluminum-frame silvery anodized; glass pane, antireflection coated; black Plexiglas decorative inlay; support plate/cartouche and flap in brushed high-grade steel. ***LCD-TFT-Display: 17,3"; 16,7 Mio. colors; resolution 1920x1080 optically; contrast typ. 600:1; brightness 400 cd/m2; viewing angle (hor./ver.) 160°/140° ***Further equipment: Electronically regulated clamping-protection; interface for media-control systems or remote control. ***Measurements (WxDxH): 530 x 100 x 586mm; ***Weight: 15,8kg ***Scope of supply: Power supply, power cord
200-173	<b>CONVERS 173 FullHD</b> <b>NEW</b>	Furniture integrated display-system with electronically movement mechanism (vertically movement of display; control via buttons directly at the device or via media-control-interface) ***Height of completely lifted display: 335mm ***Material: Display-aluminum-frame silvery anodized; glass pane, antireflection coated; black Plexiglas decorative inlay; support plate/cartouche and flap in brushed high-grade steel. ***LCD-TFT-Display: 17,3"; 16,7 Mio. colors; resolution 1920x1080 optically; contrast typ. 600:1; brightness 400 cd/m2; viewing angle (hor./ver.) 160°/140° DVI-D interface (VGA optionally possible) ***Further equipment: Electronically regulated clamping-protection; interface for media-control systems or remote control. ***Measurements (WxDxH): 530 x 100 x 586mm; ***Weight: 15kg ***Scope of supply: Power supply, power cord ***Possible options (choice):
200-220-T	<b>CONVERS 220 FullHD tilt</b>	Operating mode: Furniture integrated LCD-TFT display-system with electronic movement mechanism for vertical movement of display and automatic inclination of display to max. ~15°; controllable via push-buttons directly at the device or via media-control-interface. The tilt-function is driven by a separate motor and the required angle can be preset and individually adjusted by the user. CE-conform! ***Material: Display-aluminum-frame silvery anodized and glass pane, antireflection coated; black Plexiglas decorative inlay; support plate/cartouche and flap in brushed high-grade steel. ***LCD-TFT-Display: 21,5" TFT display with LED Backlights - resolution: 1920x1080; brightness: 250cd/m² typ.; contrast: 1000:1; viewing angle (hor./ver.) 178°/178°; 16,7M colors; Active Screen Size: 21,46" (545,22mm) diagonal ***Interfaces: DVI-D (alternatively VGA possible) ***Further equipment: Single-touch, electronically regulated clamping-protection; interface for media-control systems or remote control. ***Measurements (WxDxH, housing): 620x100x587mm; display lifting height (furniture surface to upper edge): 36,5cm ***Weight: 17,4kg ***Scope of supply: Power supply, power cord
200-220	<b>CONVERS 220 FullHD</b>	Operating mode: Furniture integrated LCD-TFT display-system with electronic movement mechanism for vertical movement of display; controllable via push-buttons directly at the device or via media-control-interface. ***Material: Display-aluminum-frame silvery anodized and glass pane, antireflection coated; black Plexiglas decorative inlay; support plate/cartouche and flap in brushed high-grade steel. ***LCD-TFT-Display: 21,5" TFT display with LED Backlights - resolution: 1920x1080; brightness: 250cd/m²; contrast: 1000:1; viewing angle (hor./ver.) 178°/178°; 16,7M colors; Active Screen Size: 21,46" (545,22mm) diagonal ***Interfaces: DVI-D (alternatively VGA possible) ***Further equipment: Single-touch, electronically regulated clamping-protection; interface for media-control systems or remote control. ***Measurements (WxDxH, housing): 620x100x586mm; display lifting height (furniture surface to upper edge): 37,5cm ***Weight: 16,6kg ***Scope of supply: Power supply, power cord
	<b>Vintage CONVERS</b>	Previous CONVERS models may be reproduced in the known outside dimensions - where necessary with modified technical components

CONVERS  
DOUBLE



# CONVERS DOUBLE




OPTIONS



Удивительно компактный  
Новый бесшумный мотор и ременной привод  
Альтернативное место для кабельного ввода и разъемов

200-220-DD

CONVERS 220 FullHD double  
**PROMOTION PRICE**



Furniture integrated double-display-system with electronic movement mechanism (vertically movement of displays; control via buttons directly at the device or via media-control-interface).  
\*\*\*Height of completely lifted display: ~375mm  
\*\*\*Material:  
Display-aluminum-frame silvery anodized; 1mm glass pane; black Plexiglas decorative inlay; support plate/cartouche and double-flap in brushed high-grade steel.  
\*\*\*2pcs. (1x front-/1x backside)LCD-TFT-displays:  
21.5"; 16,7 Mio. colors; resolution 1920x1080 optically; contrast typ. 1000:1; brightness 250 cd/m2; viewing angle (hor./ver.) 178°/178°  
\*\*\*Further equipment:  
Single-touch, electronically regulated clamping-protection; interface for media-control systems or remote control.  
\*\*\*Measurements (WxDxH): 620mm x 100mm x 587mm  
\*\*\*Weight: n/a  
\*\*\*Scope of supply: Power supply, power cord  
\*\*\*Possible options (choice):  
Touch-screen; custom colored Plexiglas inlay; customer requested powder or lacquer coating; additional customer logo; ...and much more!



compact and side-by-side



CONVERS  
TWIN

# CONVERS TWIN

# PREVIEW



OPTIONS



"WHAT'S NEW?"

... it'll be the first and one of a kind!

200-100-TW

CONVERS TWIN  
*soon*

coming soon

TECNIS



TECNIS



OPTIONS:



422-173-3	<b>TECNIS 173 inWall / inTable</b> <b>NEW</b>	<p>17,3" TFT monitor (no moving mechanism) in premium aluminum display-frame for digital signage solutions. DVI-D or VGA interface. *** Prepared for flush mounting to wall or furniture surface! ***** ***Material: Display-Frame aluminum, brushed; antireflection coated glass pane ***LCD-TFT-Display: 17,3" TFT display with LED Backlights - resolution: 1920x1080; brightness: 400cd/m<sup>2</sup>; contrast: 600:1; viewing angle (hor./ver.) 80/80° and 60/80°; 16,7M colors ***Interfaces: DVI-D (alternatively VGA possible) ***Measurements (WxDxH, housing): 440x340x25mm ***Weight: approx. 4,6kg ***Scope of supply: Power supply, power cord</p>
422-173-2	<b>TECNIS 173 VESA</b>	<p>17,3" TFT-Display with one-piece, prepared for VESA adapter (screw holes in the rear panel). VGA and DVI Input signal. ***** ***Material: Display-Frame aluminum, brushed; antireflection coated glass pane ***LCD-TFT-Display: 17,3" TFT display with LED Backlights - resolution: 1920x1080; brightness: 400cd/m<sup>2</sup>; contrast: 600:1; viewing angle (hor./ver.) 80/80° and 60/80°; 16,7M colors ***Interfaces: DVI-D (alternatively VGA possible) ***Measurements (WxDxH, housing): 440x340x25mm ***Weight: approx. 4,6kg ***Scope of supply: Power supply, power cord</p>
422-173-4	<b>TECNIS 173 table light</b>	<p>17,3" TFT-Display with one-piece, steep table stand (removable) with premium aluminum display-frame. VGA and DVI Input signal. ***** ***Material: Display-Frame aluminum, brushed; antireflection coated glass pane ***LCD-TFT-Display: 17,3" TFT display with LED Backlights - resolution: 1920x1080; brightness: 400cd/m<sup>2</sup>; contrast: 600:1; viewing angle (hor./ver.) 80/80° and 60/80°; 16,7M colors ***Interfaces: DVI-D (alternatively VGA possible) ***Measurements (WxDxH, housing): 440x340x25mm ***Weight: approx. 4,6kg ***Scope of supply: Power supply, power cord</p>
422-220-3	<b>TECNIS 220 inWall / inTable</b> <b>NEW</b>	<p>21,5" TFT monitor (no moving mechanism) in premium aluminum display-frame for digital signage solutions. DVI-D or VGA interface. *** Prepared for flush mounting to wall or furniture surface! ***** ***Material: Display-Frame aluminum, brushed; antireflection coated glass pane ***LCD-TFT-Display: 21,5" TFT display with LED Backlights - resolution: 1920x1080; brightness: 250cd/m<sup>2</sup>; contrast: 1000:1; viewing angle (hor./ver.) 178°/178°; 16,7M colors; Active Screen Size: 21,46" (545,22mm) diagonal ***Interfaces: DVI-D (alternatively VGA possible) ***Measurements (WxDxH, housing): 530 x 380 x 25mm ***Weight: approx. 7kg ***Scope of supply: Power supply, power cord</p>
422-220-2	<b>TECNIS 220 VESA</b>	<p>21,5" TFT-Display, prepared for VESA adapter (screw holes in the rear panel). VGA and DVI Input signal. ***** ***Material: Display-Frame aluminum, brushed; antireflection coated glass pane ***LCD-TFT-Display: 21,5" TFT display with LED Backlights - resolution: 1920x1080; brightness: 250cd/m<sup>2</sup>; contrast: 1000:1; viewing angle (hor./ver.) 178°/178°; 16,7M colors; Active Screen Size: 21,46" (545,22mm) diagonal ***Interfaces: DVI-D (alternatively VGA possible) ***Measurements (WxDxH, housing): 530 x 380 x 25mm ***Weight: approx. 7kg ***Scope of supply: Power supply, power cord</p>
422-220-4	<b>TECNIS 220 table light</b>	<p>21,5" TFT-Display with one-piece, steep table stand (removable) with premium aluminum display-frame. VGA and DVI Input signal. ***** ***Material: Display-Frame aluminum, brushed; antireflection coated glass pane ***LCD-TFT-Display: 21,5" TFT display with LED Backlights - resolution: 1920x1080; brightness: 250cd/m<sup>2</sup>; contrast: 1000:1; viewing angle (hor./ver.) 178°/178°; 16,7M colors; Active Screen Size: 21,46" (545,22mm) diagonal ***Interfaces: DVI-D (alternatively VGA possible) ***Measurements (WxDxH, housing): 530 x 380 x 25mm ***Weight: approx. 7kg ***Scope of supply: Power supply, power cord</p>

digital signage

SIGNIS



# SIGNIS



410-121-14	<b>SIGNIS 121-2 ALU in-wall LAN</b>	12,1" TFT monitor (no moving mechanism) in premium aluminum display-frame for digital signage solutions. Control of video signal via Ethernet/CAT5 (without PC at output monitor); 100MBit/s. *****Material: Display-Frame in aluminum, brushed; housing and wall-recessing-frame in Zinkor; dorsal LAN and 12 V DC connector. ***Display: 12,1"; resolution VGA, 800x600 optically; contrast typ. 1000:1; brightness 450 cd/m²; viewing angle (hor./ver.) 178°/178°. ***delivery condition (settings): IP: 192.168.0.1; server: 192.168.0.100; gateway: 255.255.255.0 ***Dimensions without cable (WxHxD): 310x250x40mm ***Weight: 3kg ***Power drain (max): 14,9W ***Scope of supply: External power supply unit (LxWxH=110x64x34mm), power cord, wall-recessing-frame. *** Possible options (choice): LAN-2-VGA refitting; touch-screen; portrait refitting; glass pane; customer requested powder or lacquer coating; additional customer logo; ...and much more!
410-232-14OW	<b>SIGNIS 121-2 ALU on-wall LAN</b>	12,1" TFT monitor (no moving mechanism) in premium aluminum display-frame for digital signage solutions. Control of video signal via Ethernet/CAT5 (without PC at output monitor); 100MBit/s. Material: Display-Frame in stainless steel, brushed; housing in Zinkor; decorative trim in blue Plexiglas; dorsal LAN and 12 V DC connector. Display: 12,1"; resolution VGA, 800x600 optically; contrast typ. 1000:1; brightness 450 cd/m²; viewing angle (hor./ver.) 178°/178°. Dimensions without cable (WxHxD): 310x250x40mm; Weight: 3kg; Power drain (max): 14,9W; Scope of supply: External power supply unit (LxWxH=110x64x34mm), power cord, wall-mount.

Option  
Optical




# OPTIONS - OPTICAL

700-173-U.800	Umrüstung- MODIS und VERSIS 173 Unterbauversion / conversion mounting installation from below <b>TOPSELLER</b>	Conversion of MODIS 173-4 FullHD, VERSIS 173-4 FullHD, VERSIS 173/75 FullHD for installation from below. The unit is attached to the furniture surface from underneath; the mechanism is completely concealed when in retracted position, only the monitor or the monitor rear panel is visible; rear panel on MODIS can be veneered. Trim/holding frame and the operating buttons are not required. Additions include a cable remote control unit with membrane keypad (length 150cm).
700-220-U.800	Umrüstung- MODIS und VERSIS 220 Unterbauversion / conversion mounting installation from below <b>TOPSELLER</b>	Conversion of MODIS 220-4 FullHD, VERSIS 220-4 FullHD, VERSIS 220/75 FullHD for installation from below. The unit is attached to the furniture surface from underneath; the mechanism is completely concealed when in retracted position, only the monitor or the monitor rear panel is visible; rear panel on MODIS can be veneered. Trim/holding frame and the operating buttons are not required. Additions include a cable remote control unit with membrane keypad (length 150cm).
304-173-F1.010	Furnier-Trägerplatte / Veneer panel MODIS 173 FullHD	2mm aluminium plate, anodized, for the veneering of Modis 173 FullHD
304-220-F1.010	Furnier-Trägerplatte / Veneer panel MODIS 220 FullHD	2mm aluminium plate, anodized, for the veneering of Modis 220 FullHD
700-100-K.143	Tastatur / Keyboard MODIS XS Complete <b>NEW</b>	Cherry XS Complete, black (on request light grey); wired, USB with PS/2 adapter. -full layout including number pad -high reliability; gold crosspoint contacts (Cherry ML-technology) -life cycle: more than 20 million hits per single key -plug & play - useable with standard drivers of operatin system ***** Indicate desired layout in order! Available layouts: Belgium, Switzerland, Germany, Denmark, Spain, US with EUR-symbol, France, UK, Hungaria, Italy, Norway, Poland, Portugal, Sweden, Slovakia, Turkey, Czech.
700-100-K.144	eingebaute Tastatur / integrated Keyboard MODIS / VERSIS <b>NEW</b>	Fully integrated keyboard fitting MODIS and VERSIS  Flush mounted installation in the front tray (not available for "basic" and "/75" models)  full layout including number pad
700-100-U.068	Glasrückwand / glass rear panel , Corporate Design MODIS, CONVERS, TECNIS <b>NEW</b>	upgrade displays with glass on carrierframe, floatglass, two sided anti reflection material photo realistic under glass print according to customers wish and forwarding of photo or logo
700-100-U.801	Umrüstung- CONVERS Unterbauversion / conversion installation from below CONVERS	For this option lifting height is +26mm!!! Conversion of CONVERS for installation from below. The unit is attached to the furniture surface from underneath; the mechanism is completely concealed when in retracted position; the monitor aperture must be closed by a flap/cover in the furniture. Trim/holding frame and the covering plate are not required. Additions include a cable remote control unit with membrane keypad.
700-100-Z.210	Lasergravur / laser engraving Logo Custom	Customized engraving of e.g. logo on display aluminium frame, rear panel or stainless steel frame; according to your specifications in vector-based files (*.eps, *.dwg or similar formats);
00-150-F4.150c	Zier/- Halterahmen nach Kundenwunsch / stainless mounting bezel custom-build	The monitors' stainless steel frames (CONVERS, VERSIS or MODIS) can be customised to meet your needs; we can add ports or slots to accommodate the equipment you want to use
700-100-E.011	USB Aufrüstung Zier-/Halterahmen / USB Upgrade stainless mounting bezel Modis/Versis 173-4 FullHD <b>NEW</b>	The enlarged support plate/cartouche of the device is upgraded with two USB slots, for the connection of USB devices via the surface of the device. ***** Support plate/cartouche is symmetricaly enlarged; the USB interfaces are adverse to the pushbuttons. Units are 30mm wider with this option!
700-220-E.022	USB Aufrüstung Zier-/Halterahmen / USB Upgrade stainless mounting bezel - Modis/Versis 220 FullHD <b>NEW</b>	The enlarged support plate/cartouche of the device is upgraded with two USB slots, for the connection of USB devices via the surface of the device. ***** Support plate/cartouche is symmetricaly enlarged; the USB interfaces are adverse to the pushbuttons. Units are 30mm wider with this option!
700-173-E.013	USB Aufrüstung Zier-/Halterahmen / USB Upgrade stainless mounting bezel CONVERS 173 FullHD	The support plate/cartouche of the device is upgraded with two USB slots, for the connection of USB devices via the surface of the device. ***** Attention: Modified measurements for furniture-cutout; support plate/cartouche modified!
700-100-E.013	USB Aufrüstung Zier-/Halterahmen / USB Upgrade stainless mounting bezel CONVERS 220 FullHD	The support plate/cartouche of the device is upgraded with two USB slots, for the connection of USB devices via the surface of the device. ***** Attention: Modified measurements for furniture-cutout; support plate/cartouche modified!
400-170-F1.110	Zierband Bildschirm / decorative plexi - Wunschfarbe <b>Topseller</b>	Plexiglass trim (pair - 2 per unit) for screen frame; special colours available according to customer wishes
100-170-F1.120f	Zierband / decorative trim Swarovski <sup>TM</sup> Kristall	CRYSTALLIZED TM with Swarovski Elements - over 1,100 crystals as decorative elements in the trim
400-170-F1.200	Versteckte OSD-Tasten- Zierband Abdeckung / hidden OSD buttons	OSD controls concealed by Plexiglas cover with magnetic strip holding additional trim material
700-100-Z.200	Custom colour/ Wunschfarbe - Geräte	Customised coating in RAL colours for trim, display aluminium frame (incl. OSD cover panel), display rear panel and the control buttons.

Option  
Conference  
System



# OPTIONS - CONFERENCE

700-100-E.020	<b>Mini-XLR Buchse im Halterahmen CONVERS, MODIS, VERSIS</b>	Miniature XLR holder installed in supporting frame; for gooseneck microphones; connecting cable and 4-pin female XLR connector	
700-100-E.300	<b>Aufrüstung / conversion - MCS-D Sprechstelle DELEGIERTE (Beyerdynamic)</b>		VERSIS or MODIS models (not basic types) are equipped instead with a keyboard/keyboard tray with a Beyerdynamic MCS-D microphone system containing a gooseneck microphone. It is lifted electronically after the monitor. Delegate Version
700-100-E.301	<b>Aufrüstung / conversion - MCS-D Sprechstelle CHAIRMAN (Beyerdynamic)</b>	VERSIS or MODIS models (not basic types) are equipped instead with a keyboard/keyboard tray with a Beyerdynamic MCS-D microphone system containing a gooseneck microphone. It is lifted electronically after the monitor. Chairman Version	
700-100-E.310	<b>XLR Mikrofon Lift /XLR Microphone Lift</b> 	Furniture integrated XLR plug with electronically movement mechanism (vertically movement of display; control via buttons directly at the device or via media-control-interface)  ***Material: stainless steel, aluminium ***Miniature XLR holder for gooseneck microphones; connecting cable and 4-pin female XLR connector ***Further equipment: Electronically regulated clamping-protection; interface for media-control systems or remote control. ***Measurements (WxDxH):100 x 100 x 586mm ***Weight: 7 kg ***Scope of supply: Power supply, power cord	



# OPTIONS - TECHNICAL

400-220-Z40c	<b>Multi-Touch-Aufrüstung / conversion 220 wide screen, USB</b> <b>TOPSELLER</b>	Projected Capacitive Multitouch-Upgrade; Integration beneath original Display-glass - leveled surface remains active area 269 x 477mm ROHS compliant
700-100-K.770	<b>Aufrüstung / conversion MODIS und VERSIS - ECG extended crash guard</b>	Supported OS: Protection circuit stops the monitor VERSIS/MODIS by contacting stainless mounting frame ***** Device comes without control buttons in the stainless steel frame; a wired remote control is added. NOTE: Option is not possible for basic models.
200-173-F1.051	<b>VSG Schutzscheibe für MODIS, VERSIS, CONVERS 173 FullHD Displays / safety glass</b>	For all MODIS, VERSIS, CONVERS 173 models Laminated safety glass (2 float glass panes, each 2mm thick laminated with PVB foil), surface: anti-glare on both sides, glass maintains shape in screen frame should breakage occur. Shards/splinters do not fall out; reduces risk of injury (not available in combination with touchscreen)
200-220-F1.051	<b>VSG Sichtscheibe für MODIS, VERSIS, CONVERS 220 FullHD Displays / safety glass</b>	For all MODIS, VERSIS, CONVERS 220 models Laminated safety glass (2 float glass panes, each 2mm thick laminated with PVB foil), surface: anti-glare on both sides, glass maintains shape in screen frame should breakage occur. Shards/splinters do not fall out; reduces risk of injury (not available in combination with touchscreen)
700-170-U.051	<b>Kamera - AUF ANFRAGE / camera - ON DEMAND</b>	Video-Camera-System VKC-144/PH for all 17,1" ELEMENT ONE wide screen monitor systems. Product description: Cam is integrated flush with the adjacent areas to the displays front-frame. Recording sensor: ¼" Sony Super HAD Interline Transfer CCD Resolution: 380 TV-lines Sensitivity: 6,0 Lux at F3,5, 0,7 Lux at F1,2 Gamma-adjustment: ca. 0,45 Automatic white balance Horizontal field viewing angle: 51° Video outlet: 1 Vss, FBAS, 75 Ohm
700-100-E.110	<b>Embedded PC Aufrüstung - MODIS/VERSIS</b>	Embedded PC, installed in mouse-rest at MODIS 173 / 220



# ACCESSORIES

200-170-Z6	Kabelfernbedienung / cable remote 1.5m	table switch standard, suitable for all models with electrical control and external interface; to be installed at the underneath of the table; length cable: 1,5m.
700-100-E.050	Funkfernbedienung / RC remote control	programmable 2-channel radio communication remote control (433Mhz) set consisting of hand-held transmitter and receiver module for connection to the ELEMEMENT ONE 9-pin SUB-D remote control interface
200-170-Z.073	IP Modul Set / IP remote control <i>Topseller</i>	IP interface for the remote controlled in- and folding up of monitor units via PC, media control systems or UDP. Set consists of: IP monitor control module - internally (200-170-Z.071), IP module housing E 408 (200-170-Z.072), IP Sub-D cable set for housing version (200-170-Z.072a) NOT APPLICABLE FOR "BASIC"-VERSIONS! Delivery incl. COM-COM cable.
200-170-Z7	Diodenbox für Monitorsteuerung / diode box <i>Topseller</i>	Diode box + RS232 cable for the transmission of a central remote control signal (cable or radio) to a further ELEMENT ONE module. The separate control function on the attached module remains.
110-173-F3.900	Frässhablone für / cut-out stencil for MODIS und VERSIS 173 Mechaniken	Cut-out stencil for aiding installation, with slight over-dimensions: 495,2mm x 400,2mm. Material: aluminium
110-220-F3.900	Frässhablone für / cut-out stencil for MODIS und VERSIS 220 Mechaniken	Cut-out stencil for aiding installation, with slight over-dimensions: 585,2mm x 440,2mm. Material: aluminium
200-173-F3.900	Frässhablone für / cut-out stencil for CONVERS 173 Mechaniken	Cut-out stencil for aiding installation, with slight over-dimensions: 530,2mm x 100,2mm. Material: aluminium
200-220-F3.900	Frässhablone für / cut-out stencil for CONVERS 220 Mechaniken	Cut-out stencil for aiding installation, with slight over-dimensions: 620,2mm x 100,2mm. Material: aluminium
100-173-Z1	Abdeckblech / Cover plate VERSIS 173 und MODIS 173	2.0mm anodised aluminium sheet, 495x400mm for the table cut-out
100-220-Z2	Abdeckblech / Cover plate VERSIS 220 und MODIS 220	2.0mm anodised aluminium sheet, 585x440mm for the table cut-out
200-173-Z10	Abdeckblech / Cover plate CONVERS 173	for CONVERS 173 cut-outs. Anodised aluminium, 2mm; 530mm x 100mm
200-220-Z10	Abdeckblech / Cover plate CONVERS 220	for CONVERS 220 cut-outs. Anodised aluminium, 2mm; 620mm x 100mm
300-[...]Z1	Transport Case für ELEMENT ONE Monitore <i>NEW</i>	Mil-Standard cases, designed to meet even the most demanding military specifications. They are roto-molded for strength and durability, airtight and water proof with solid stainless steel latches and hinges that will withstand the most demanding shipping conditions. Available for CONVERS, VERSIS, MODIS 173 and 220
[...]-D1	Einbaumuster / Installation dummy <i>empfohlen / recommended</i>	Sample for table cut-out. No function; without display (just for checking of the furniture cutout and the wiring). With original outside dimensions of the monitor Available for CONVERS, VERSIS, MODIS 173 and 220 and ROTATIS

## Service



# SERVICE

700-100-Z.015	<b>Kilometer Fahrkosten</b>	outward and return journey per kilometre
700-100-Z.020	<b>Vor-Ort Reparatur-Service / on-site repair 1. und 2. Jahr</b>	Flat rate for guarantee-repair service. Contains: Travelling cost, spare parts and hours of work. Self determined damage which respectively damage which is not under guarantee will be charged. Amount per year and device. Only available with brand new devices.
700-100-Z.021	<b>Vor-Ort Reparatur-Service / on-site repair 3. bis max. 5. Jahr</b>	Flat rate for guarantee-repair service Contains: spare parts, hours of work, ravel expenses. Self determined damage which respectively damage which is not under guarantee will be charged. Amount per year and device. Amount comes due on delivery. Only available with brand new devices.
700-100-Z.030	<b>Prüf-/Reinigungsservice / Checking-/ Cleaning Service</b>	Once a year the devices are inspected and cleaned on site amount/year, plus transportation cost spare parts are charged according to complexity ***** Only for order together with all new devices; service is done ~12 months after delivery.
700-100-Z.070	<b>Abnahmeservice / Betreuung E1</b>	The daily flat includes the support/acceptance of the E1-deviceinstallation on-site of the end-user, as well as if necessary the analysis of possible error sources and - if possible - the elimination of them, by a technician and applicable a fitter, for one workday including travel time. Every further specialist required will be calculated separately according to expense afterwards. Additionally: Travel cost per km or flight cost and hotel and material cost. ***** The warranty time is expanded to 3 years by this service!
800-100-HA	<b>Handbuch der Monitore</b>	ISBN-10: 300029077X Das Handbuch der Monitore ist das erste Nachschlagewerk zum Thema „möbelintegrierte AV-Technik“. Im handlichen Querformat von etwas mehr als DIN A5 vereint es auf 94 Seiten alles Wissenswerte über die Integration beweglicher TFT-LCD-Monitore in hochwertigen Büro- und Objektmöbeln. Als bisher einziges Nachschlagewerk auf diesem Gebiet zeigt es auf, wie verzahnt dabei die AV-Branche und der Innenausbau bzw. die Möbelindustrie zusammenarbeiten, um die Ansprüche an eine hochmoderne Medientechnologie ebenso zu erfüllen wie die an eine zeitgemäße Innenarchitektur. Diese Kooperation wirkt sich auf beide Branchen positiv aus: Sie führt einerseits zu „technischeren“ Möbeln, andererseits zu schöner designten AV-Produkten. ELEMENT ONE zeigt anhand seiner Monitor-Modelle exemplarisch auf, wie die Integration professioneller AV-Technik in unterschiedlichen Raumkonzepten optimal gelingt und möchte mit seinem Handbuch der Monitore ein Standardwerk rund um das Thema „möbelintegrierte Medientechnik“ etablieren. Es soll zukünftig immer wieder ergänzt und aktualisiert werden. Das Handbuch soll Planern sowie all jenen, die sich mit in Möbeln integrierbaren Monitor- und Konferenzsystemen beschäftigen, als Arbeitsbuch und Orientierung dienen.
	<b>Schulung / Training - Produkte &amp; Installation</b> <i>emfohlen / recommended</i>	